

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 25/3/2024 Version: 6.0

# Strip Butyl Flame Retardant Tape - FRW10

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product Name/Identifier

Strip Butyl Flame Retardant Tape - FRW10.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Compression sealant.

## 1.3. Details of the supplier of the safety data sheet

Premier Sealant Systems Ltd. Mercia Way, Foxhills Industrial Park, Scunthorpe, North Lincolnshire, DN15 8RE Tel. 01724 864 100

## 1.4. Emergency telephone number

NPIS (National Poisons Information Service): 0344 892 0111 (for medical professionals only). For medical advice, members of the public should contact NHS 111 in England: 111; NHS 24 in Scotland: 111; NHS Direct in Wales: 111 or 0845 4647. In Northern Ireland: contact your local GP or pharmacist. In Europe call 112.

### 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

## Classification according to UK CLP/GHS

This material is not considered hazardous according to the regulatory guidelines.

### 2.2. Label elements

## **Hazard pictograms**

Not applicable.



## Signal word

Not applicable.

#### **Hazard statements**

Not applicable.

## **Precautionary statements**

Not applicable.

## **Supplemental label information**

Not applicable.

#### 2.3. Other hazards

Not applicable.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

A formulation based on polyisobutene, polybutene and inert inorganic fillers mixed to a homogeneous blend. Chemically inert.

## 4. FIRST AID MEASURES

# 4.1. Description of first aid measures

## **General information**

In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

**Inhalation:** Not applicable.

**Ingestion:** No known toxicity. Please consult a doctor and show him this SDS.

**Skin contact:** Wash with soap and water.

**Eye contact:** Flush with plenty of water for several minutes. Remove any contact

lenses and open eyes wide apart. Get medical attention if any

discomfort continues.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** None known

**Eye contact:** Might cause irritation or discomfort

Ingestion:No data available.Inhalation:None known.



### Notes for the doctor

Not applicable.

### **Specific treatments**

Treat symptomatically.

## 5. FIREFIGHTING MEASURES

## 5.1. Extinguishing media

## Suitable extinguishing media

Use extinguishing media appropriate the surrounding fire conditions. Use as appropriate: water spray, dry extinguishing media, foam and carbon dioxide.

## Unsuitable extinguishing media

None known.

## 5.2. Special hazards arising from the substance or mixture

### **Specific hazards**

Avoid direct physical contact with product as it will be soft & highly adhesive.

## **Hazardous combustion products**

Hazardous gasses that may be generated: Carbon dioxide, carbon monoxide.

## 5.3. Advice for firefighters

No specific recommendations.

## **Special protective equipment for firefighters**

Wear self-contained breathing apparatus. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

## **Personal precautions**

None known.

### 6.2. Environmental precautions

Nothing specific to our knowledge.

## Methods and material for containment and cleaning up

Sweep up spilled material and place in suitable containers for recycle or disposal. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. If spilled to water: stop source if possible to do so without hazard. Advise authorities of possible floating substances, if material enters watercourses or sewers. Confine if possible. Skim from surface.



Consult an expert on disposal of any recovered material and ensure conformity to local disposal regulations.

# 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

### **Usage precautions**

Comply with the current legislation concerning the prevention of industrial risks.

## Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash their hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

## 7.2. Conditions for safe storage, including any incompatibilities

## **Storage precautions**

Store in a cool, well-ventilated place away from incompatible materials.

Do NOT remove release liner or store cartons of product near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Store in ambient temperature between +5°C and +25°C in its original packaging. This article must be protected from moisture, dust.

## **Storage class**

Not classified.

### 7.3. Specific end use(s)

Field of application of the product is described in Technical data sheet (TDS).

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### **Occupational exposure limits**

No data available.

### 8.2. Exposure controls

### **Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

## **Eye/face protection**

Use safety glasses (with side shields).

# **Hand protection**

Gloves not needed, however follow workplace instructions.



## Other skin and body protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or cotton/synthetic overalls are normally suitable. Grossly contaminated clothing should be removed and the skin washed with soap and water or a recognised skin cleaner. ALWAYS WASH YOUR HANDS BEFORE EATING, SMOKING OR USING THE TOILET.

### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## **Respiratory protection**

Odour threshold

If dust or vapor condition is above the recommended level, use local extraction apparatus (likely only in the case of a fire).

No data available

## **Environmental exposure controls**

Do not let into environment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Appearance Semi-solid, in a roll form Colour off white/light grey Odour Slight noticeable

pH Not applicable
Melting point Not determined
Initial boiling point and range Not determined

Initial boiling point and range

Flash point

Evaporation rate

Not determined

180 °C min

No information available

Evaporation factor

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Vapour pressure

No information available

No information available

No information available

Vapour density

Relative density

Bulk density

Solubility(ies)

No information available

No information available

Insoluble in water

Partition coefficient

Auto-ignition temperature

Decomposition Temperature

No data available

No data available

Viscosity No information available

Explosive properties Not applicable

## Premier Sealant Systems Ltd.



Oxidising properties VOC LEED (2009) VOC Not applicable Not applicable Not applicable

### 9.2. Other information

Not available.

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

The mixture is not reactive under recommended storage and handling conditions (see Section 7).

## 10.2. Chemical stability

The mixture is stable under recommended storage and handling conditions (see Section 7).

# 10.3. Possibility of hazardous reactions

In case of fire, the product can create hazard gases.

## 10.4. Conditions to avoid

Nothing specific to our knowledge.

## 10.5. Incompatible materials

Strong oxidizing agents, product will be affected by organic solvents.

# 10.6. Hazardous decomposition products

In case of fire: carbon oxides, hydrocarbons, trace ammonia, smoke particles.

## 11.TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

### **Acute toxicity**

None known.

## **Skin Corrosion/Irritation**

None known.

# **Serious Eye Damage/Irritation**

None known.

## **Respiratory or Skin Sensitisation**

None known.

### **Germ Cell Mutagenicity**

None known.

# Carcinogenicity

None known.

## Premier Sealant Systems Ltd.



## **Reproductive Toxicity**

None known.

# Specific target organ toxicity (single exposure)

Lack of data.

## **Specific target organ toxicity (repeated exposure)**

Lack of data.

## 12.ECOLOGICAL INFORMATION

## 12.1. Toxicity

None known.

### 12.2. Persistence and degradability

Expected to be persistent.

## 12.3. Bioaccumulative potential

Potential to bioaccumulate is low.

## 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

Low solubility and sinks in water. The product is virtually insoluble in water and thus can be separated from water mechanically in suitable effluent treatment plants.

## 13. DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Combination with other materials may well indicate another route of disposal. Care should in any case be taken to ensure compliance with EC, national and local regulations. This product is suitable for disposal in an approved landfill or by controlled incineration.

## **Disposal methods**

Dispose of in accordance with local regulations.



#### 13.2. Waste class

Not applicable.

## 14.TRANSPORT INFORMATION

### 14.1. UN number

Not applicable

### 14.2. Packing group

Not applicable.

#### **14.3. Road ADR**

Not applicable.

### 14.4. Railway RID

Not applicable.

## 14.5. Transport by sea GGVSee/IMDG-Code

Not applicable.

## 14.6. Air Transport ICAO-TI/IATA-DGR

Not applicable.

## 15. REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Annex XIV - List of substances subject to authorisation

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

Seveso Directive

This product is not controlled under the Seveso Directive.



## **EU** regulations

Industrial emissions (integrated pollution prevention and control) - Air

Not listed.

Industrial emissions (integrated pollution prevention and control) - Water

Not listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list Australia

Not determined.

Canada

Not determined

China

Not determined.

**Eurasian Economic Union** 

Russian Federation inventory

Not determined.

Japan inventory (CSCL)

Not determined.

Japan inventory (ISHL)

Not determined

New Zealand

Not determined.

**Philippines** 

Not determined.

Republic of Korea

Not determined.

Taiwan

Not determined.

Thailand

Not determined.

Turkey

Not determined.

**United States** 

Not determined.

Viet Nam

Not determined.



## 15.2. Chemical safety assessment

Not determined.

## **16.OTHER INFORMATION**

### Abbreviations and acronyms used in the safety data sheet

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate. BCF: Bioconcentration Factor.

CAS: Chemical Abstracts Service.

cATpE: Converted acute toxicity point estimate.

DNEL: Derived No Effect Level.

 $EC_{50}$ : 50% of maximal Effective Concentration.

GHS: Globally Harmonized System.

IATA: International Air Transport Association.

IBC: International Code for the Construction and Equipment of Ships carrying Dangerous

Chemicals in Bulk (International Bulk Chemical Code).

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level.

LOEC: Lowest Observed Effect Concentration.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No Observed Adverse Effect Level.

NOEC: No Observed Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

SVHC: Substances of Very High Concern.

vPvB: Very Persistent and Very Bioaccumulative.

## **Classification abbreviations and acronyms**

Acute Tox. = Acute toxicity

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Asp. Tox. = Aspiration hazard

Eye Dam. = Serious eye damage

Flam. Lig. = Flammable liquid

Repr. = Reproductive toxicity

Skin Irrit. = Skin irritation

Skin Sens. = Skin sensitisation

# Premier Sealant Systems Ltd.



STOT RE = Specific target organ toxicity-repeated exposure STOT SE = Specific target organ toxicity-single exposure

## Key literature references and sources for data

Source: European Chemicals Agency, http://echa.europa.eu/ SDS from supplier.

## Classification procedures according to SI 2019 No. 720

Flam. Liq. 2 - H225: On basis of test data. Aquatic Chronic 3 - H412, Eye Irrit. 2 - H319, Repr. 2 - H361d, Skin Irrit. 2 - H315, STOT SE 3 - H336, STOT RE 2 - H373: Calculation method.

#### **Revision comments**

Revision date 25/03/2024 Revision 6 Supersedes date 20/06/2013 SDS status Approved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.