

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 25/3/2024 Version: 2.0

SealPrem Low Modulus Silicone

1. DESCRIPTION

1.1 Product Name

SealPrem Low Modulus Silicone (white and colours)

1.2 Use

Sealant

1.3 Supplier

Premier Sealant Systems Ltd., Mercia Way, Foxhills Industrial Park, Scunthorpe, North Lincolnshire, DN15

T: 01724 864 100

Emergency number: 112 or 999

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) No. 1272/2008 [CLP]

Not classified as hazardous.

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2 Label elements

Labelling according to Regulations (EC) No. 1272/2008 [CLP]

EUH-statements: EUH208 - Contains trimethoxyvinylsilane(2768-02-7), 3-(2-

Aminoethylamino)propyltriethoxysilane(5089-72-5). May produce

an allergic reaction.

2.3 Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.



The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

3. COMPOSITION & INFORMATION ON INGREDIENTS

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-Aminopropyl(methyl) silsesquioxanes, ethoxy- terminated	CAS-No.: 128446-60-6	≥ 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319
trimethoxyvinylsilane	CAS-No.: 2768-02-7 EC-No.: 220-449-8	< 1	Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 3, H412
3-(2-Aminoethylamino)propyltriethoxysilane	CAS-No.: 5089-72-5 EC-No.: 225-806-1 REACH-no: 01-2120767929-30	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317

3.2.1 Hazardous ingredients

[1] = Hazardous or environmentally harmful substance

[2] = Substance with a Community workplace exposure limit

[3] = PBT substance

[4] = vPvB substance

Full text of H- and EUH-statements: see section 15. Classification codes are explained in section 15.

4. FIRST AID MEASURES

4.1 Description of first aid measures

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for

breathing.

First-aid measures after skin contact: Wash skin with plenty of water.

First-aid measures after eye contact: Rinse eyes with water as a precaution.

First-aid measures after ingestion: Call a poison center or a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

No additional information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media: Water spray. Dry powder. Foam Carbon dioxide.

5.2 Specific Hazards

Toxic fumes may be released.

5.3 Special Fire-Fighting Procedures

None.

5.4 Fire-Fighter

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear proper protective equipment. Ventilate spillage area.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up: Take up liquid spill into absorbent material.

Other information: Dispose of materials or solid residues at an authorized site.

7. HANDLING & STORAGE

7.1 Precautions for safe storage

Precautions for safe handling: Ensure good ventilation of the work station. Wear personal

protective equipment. Do not empty into drains.

Hygiene measures: Do not eat, drink or smoke when using this product. Always wash

hands after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a well-ventilated place. Keep cool.



7.3 Specific end use(s)

Refer to the technical data sheet.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Control parameters:

National occupational exposure and biological limit values

No additional information available.

Recommended monitoring procedures

No additional information available.

Air contaminants formed

No additional information available.

DNEL and PNEC

No additional information available.

Control banding

No additional information available.

8.2 Exposure Controls

Ensure good ventilation of the work station.

8.3 Personal Protection

Personal protective equipment symbol(s):







Respiratory In case of insufficient ventilation, wear suitable respiratory

equipment.

Skin & Body

Wear suitable protective clothing where significant skin contact can

occur.

Hand Protection Protective gloves.

Eye and face protection Safety glasses should be worn.



9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Properties

Physical state: Liquid

White and various colours Colour:

Appearance: **Paste** Odour: None

Odour threshold: Not available Melting point: Not applicable Not available Freezing point: Not available Boiling point: Flammability: Non flammable **Explosive limits:** Not available Not available Lower explosion limit: Upper explosion limit: Not available Flash point: Not available Not available Auto-ignition temperature: Decomposition temperature: Not available рН: Not available Viscosity, kinematic: Not available 0 g/l at 25°C Solubility: Partition coefficient n-octanol/water (Log Kow): Not available Vapour pressure: Not available Vapour pressure at 50°C: Not available Not available Not available

Density: Relative density: Relative vapour density at 20°C: Not available Particle characteristics: Not applicable

Oxidising properties: None

10. STABILITY & REACTIVITY

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Stability

Stable under normal usage conditions.

10.3 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.4 Incompatible materials

No additional information available.



10.5 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGY INFORMATION

11.1 Acute toxicity

Acute toxicity (oral):

Acute toxicity (dermal):

Acute toxicity (inhalation):

Skin corrosion/irritation:

Not classified.

Not classified.

Not classified.

Not classified.

Not classified.

Respiratory or skin sensitisation: Results based on in vivo studies on laboratory animals

determined that Trimethoxyvinylsilane (VTMO) has been classified for skin sensitization category 1B (H317) under Annex VI to Regulation (EC) No 1272/2008. Evidence

acquired from testing conducted on the materials we use in our products has demonstrated that no allergic reactions have been reported after occupational exposure in VTMO mixtures of up to 5%. Due to lack of evidence of any sensitizing potential at this concentration or less, this

product has not been classified as H317 1B as determined

by expert judgement.

Germ cell mutagenicity:

Carcinogenicity:

Not classified.

Reproductive toxicity:

Not classified.

STOT-single exposure:

Not classified.

STOT-repeated exposure:

Not classified.

trimethoxyvinylsilane (2768-02-7)	
NOAEL (oral, rat, 90 days)	62.5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard - not classified

trimethoxyvinylsilane (2768-02-7)	
Viscosity, kinematic	0.7 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'



12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity effects

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not rapidly degradable.

trimethoxyvinylsilane (2768-02-7)	
LC50 - Fish [1]	>92.2 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	168.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	>957 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	52.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	28.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2 Persistence and degradability

No additional information available.

12.3 Bioaccumulation

No additional information available.

12.4 Mobility in soil/Release to waters

No additional information available.

12.5 Disposal considerations

Dispose of contents/container in accordance with licensed collector's sorting instructions.

13. TRANSPORT INFORMATION

For road, marine and air transport this product is not classified as dangerous goods within the contract of National Transport Regulations.

UN. No. Not allocated

Shipping Name Not applicable

Class Not classified as dangerous goods

Subsidiary Risk Not classified as dangerous goods

Packaging Group Not applicable

Hazchem Code Not applicable

EPG Not applicable

Segregation Not applicable



14. REGULATORY INFORMATION

14.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Status

14.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions.

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list.

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

14.1.2. National regulations

No additional information available

15. OTHER INFORMATION

15.1 Date of Preparation

18.07.2023

15.2 Date of Revision

25.03.2024

15.3 Reasons for Issue

New Information: SDS's are updated frequently. Please ensure you have the current copy. This SDS summaries at the date of issue our best knowledge of health and safety hazard information of the product, and in particular how to handle and use the product in the workplace. Since Premier Sealant Systems Ltd cannot anticipate or control the conditions under which the product may be Using each user must, prior to usage, review this SDS in the context to use and handling of the product in the workplace.



If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact Premier Sealant Systems Ltd. Our responsibility for the product as sold is subject to our standard terms and conditions, a copy of which is sent to our customer and is also available upon request.

15.4 Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inlan Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	



vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties
Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
EUH208	Contains trimethoxyvinylsilane(2768-02-7), 3-(2-Aminoethylamino)propyltriethoxysilane(5089-72-5). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
Full text of H- and EUH-statements:	
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2