

# Single-Sided Breather Membrane Lap Tape

## Product Description

Sealing and bonding tape which has a high strength acrylic dispersion adhesive and has a non-woven polypropylene carrier. Novia® BMLT is suitable for use in temperatures as low as -10°C with care. This tape is suitable for overlaps and joints on Breather Membranes within both roof and wall applications to seal all membrane overlaps and protect against external environmental conditions and improve airtightness.

## Features

- Suitable for use in temperatures as low as -10°C
- Suits BS 5534
- Airtight


## Typical Applications

- Use with Breather Membranes in accordance with BS 5534
- Edge and lap sealing tape

	Value
Standard Width	50/75mm
Roll Length	25m
Roll Weight	0.55/0.80kg
Elongation	≥50 (40%) N/25mm DIN EN 14410
Thickness	0.55-0.60mm DIN EN 1942
Peel Adhesion	≥30 N/25mm DIN EN 1939**
Installation Temperature	From -10 °C Recommended +5°C
Temperature Resistance	-30 °C to +100 °C

\*\*With variances

An example installation for a Breather Membrane



Please note: The above technical information is given as a guide and is based on recent test data obtained under laboratory conditions. Materials should be fully tested by the end user to establish suitability of the product for the intended application. March 2024

Premier Sealant Systems Ltd.

T 01724 864 100 | E sales@sealprem.com | [www.sealprem.com](http://www.sealprem.com)

Mercia Way, Foxhills Industrial Park, Scunthorpe, DN15 8RE

Registered in Cardiff No. 3000843